

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

# LISTING SERVICE

**LISTING No.** 3265-0013:101 Page 1 of 1

**CATEGORY:** Power-Operated Doors

**LISTEE:** Horton Automatics, 4242 Baldwin Blvd., Corpus Christi TX 78405  
Contact: John Cringole (361) 888-5591 FAX (361) 888-6510

**DESIGN:** Models 1310, 2310, 1410 and 2410 series automatic sliding exit door assembly, consisting of a fixed panel and a swing-slide panel or bi-parting swing slide panel. In the event of power failure the door reverts to manual slide operation. The swing-slide panel will swingout in the direction of egress when pressure of 16 to 40 lbs is applied to the inside of the slide panel. Refer to listee's data sheet for detailed product description and operational consideration.

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes & ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, series designation and UL label.

**APPROVAL:** Listed as a power-operated door for installation in locations where fire-rated assemblies are not required. Authority having jurisdiction should be consulted prior to installation.

\*Rev. 06-08-2002



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued:

**JUNE 17, 2004**

*Listing Expires **June 30, 2005***

Authorized By:

**DIANE K. AREND**, Senior Deputy  
Program Manager